

Appendix B - Articles included in systematic review analysis

Abbah SA, Lu WW, Peng SL, Aladin DMK, Li ZY, Tam WK, Cheung KMC, Luk KDK, Zhou GQ (2008) Extracellular matrix stability of primary mammalian chondrocytes and intervertebral disc cells cultured in alginate-based microbead hydrogels. *Cell Transplant* **17**: 1181-1192.

Acosta FL, Jr., Metz L, Adkisson HD, Liu J, Carruthers-Liebenberg E, Milliman C, Maloney M, Lotz JC (2011) Porcine intervertebral disc repair using allogeneic juvenile articular chondrocytes or mesenchymal stem cells. *Tissue Eng Part A* **17**: 3045-3055.

Ahn J, Park EM, Kim BJ, Kim JS, Choi B, Lee SH, Han I (2015) Transplantation of human Wharton's jelly-derived mesenchymal stem cells highly expressing TGF β receptors in a rabbit model of disc degeneration. *Stem Cell Res Ther* **6**.

Alinejad Y, Adoungotchodo A, Grant MP, Epure LM, Antoniou J, Mwale F, Lerouge S (2019) Injectable chitosan hydrogels with enhanced mechanical properties for nucleus pulposus regeneration. *Tissue Eng Part A* **25**: 303-313.

Alinejad Y, Adoungotchodo A, Hui E, Zehtabi F, Lerouge S (2018) An injectable chitosan/chondroitin sulfate hydrogel with tunable mechanical properties for cell therapy/tissue engineering. *Int J Biol Macromol* **113**: 132-141.

Alini M, Li W, Markovic P, Aebi M, Spiro RC, Roughley PJ (2003) The potential and limitations of a cell-seeded collagen/hyaluronan scaffold to engineer an intervertebral disc-like matrix. *Spine (Phila Pa 1976)* **28**: 446-453.

Allon AA, Aurouer N, Yoo B, Liebenberg E, Buser Z, Lotz JC (2010) Structured co-culture of stem cells and disc cells prevent degeneration in a rat model. *Spine J* **10**:1089-1097.

Bai M, Yin H, Han C, Du Z, Meng G, Jiang D (2017) Bone marrow-derived mesenchymal stem cell composited with platelet rich plasma improved repair of annulus fibrosus rupture. *Int J Clin Exp Med* **10**: 8989-8998.

Barczewska M, Wojtkiewicz J, Habich A, Janowski M, Adamiak Z, Holak P, Matyjasik H, Bulte JWM, Maksymowicz W, Walczak P (2013) MR monitoring of minimally invasive delivery of mesenchymal stem cells into the porcine intervertebral disc. *PloS one* **8**: e74658.

Barreto-Henriksson H, Llorente M, Larsson A, Brisby H, Gold J, Schuster E, Strom A (2019) Determination of mechanical and rheological properties of a cell-loaded peptide gel during ECM production. *Int J Pharm* **563**: 437-444.

Bendtsen M, Bunger CE, Zou X, Foldager C, Jorgensen HS (2011) Autologous stem cell therapy maintains vertebral blood flow and contrast diffusion through the endplate in experimental intervertebral disc degeneration. *Spine (Phila Pa 1976)* **36**: E373-379.

Benz K, Stippich C, Fischer L, Mohl K, Weber K, Lang J, Steffen F, Beintner B, Gaissmaier C, Mollenhauer JA (2012a) Intervertebral disc cell- and hydrogel-supported and spontaneous intervertebral disc repair in nucleotomized sheep. *Eur Spine J* **21**: 1758-1768.

Benz K, Stippich C, Osswald C, Gaissmaier C, Lembert N, Badke A, Steck E, Aicher WK, Mollenhauer JA (2012b) Rheological and biological properties of a hydrogel support for cells intended for intervertebral disc repair. *BMC Musculoskelet Disord* **13**: 54.

Bertolo A, Arcolino F, Capossela S, Taddei AR, Baur M, Pötzel T, Stoyanov J (2015a) Growth factors cross-linked to collagen microcarriers promote expansion and chondrogenic differentiation of human mesenchymal stem cells. *Tissue Eng Part A* **21**: 2618-2628.

Bertolo A, Hafner S, Taddei AR, Baur M, Potzel T, Steffen F, Stoyanov J (2015b) Injectable microcarriers as human mesenchymal stem cell support and their application for cartilage and degenerated intervertebral disc repair. *Eur Cell Mater* **29**: 70-71.

Bertram H, Kroeber M, Wang H, Unglaub F, Guehring T, Carstens C, Richter W (2005) Matrix-assisted cell transfer for intervertebral disc cell therapy. *Biochem Biophys Res Commun* **331**: 1185-1192.

Bian Z, Sun J (2015) Development of a KLD-12 polypeptide/TGF-beta1-tissue scaffold promoting the differentiation of mesenchymal stem cell into nucleus pulposus-like cells for treatment of intervertebral disc degeneration. *Int J Clin Exp Pathol* **8**: 1093-1103.

Bron JL, Vonk LA, Smit TH, Koenderink GH (2011) Engineering alginate for intervertebral disc repair. *J Mech Behav Biomed Mater* **4**: 1196-1205.

Brown RQ, Mount A, Burg KJL (2005) Evaluation of polymer scaffolds to be used in a composite injectable system for intervertebral disc tissue engineering. *J Biomed Mater Res A* **74**: 32-39.

Bucher C, Gazdhar A, Benneker LM, Geiser T, Gantenbein-Ritter B (2013) Nonviral Gene Delivery of growth and differentiation factor 5 to human mesenchymal stem cells injected into a 3D bovine intervertebral disc organ culture system. *Stem Cells Int* **2013**: 326828.

Calderon L, Collin E, Velasco-Bayon D, Murphy M, O'Halloran D, Pandit A (2010) Type II collagen-hyaluronan hydrogel--a step towards a scaffold for intervertebral disc tissue engineering. *Eur Cell Mater* **20**: 134-148.

Chan SCW, Gantenbein-Ritter B, Leung VYL, Chan D, Cheung KMC, Ito K (2010) Cryopreserved intervertebral disc with injected bone marrow-derived stromal cells: a feasibility study using organ culture. *Spine J* **10**: 486-496.

Chen P, Ning L, Qiu P, Mo J, Mei S, Xia C, Zhang J, Lin X, Fan S (2019) Photo-crosslinked gelatin-hyaluronic acid methacrylate hydrogel-committed nucleus pulposus-like differentiation of adipose stromal cells for intervertebral disc repair. *J Tissue Eng Regen Med* **13**: 682-693.

Chen YC, Su WY, Yang SH, Gefen A, Lin FH (2013) In situ forming hydrogels composed of oxidized high molecular weight hyaluronic acid and gelatin for nucleus pulposus regeneration. *Acta Biomater* **9**: 5181-5193.

Chik TK, Ma XY, Choy TH, Li YY, Diao HJ, Teng WK, Han SJ, Cheung KMC, Chan BP (2013) Photochemically crosslinked collagen annulus plug: a potential solution solving the leakage problem of cell-based therapies for disc degeneration. *Acta Biomater* **9**: 8128-8139.

Chou AI, Akintoye SO, Nicoll SB (2009) Photo-crosslinked alginate hydrogels support enhanced matrix accumulation by nucleus pulposus cells in vivo. *Osteoarthritis Cartilage* **17**: 1377-1384.

Chou AI, Nicoll SB (2009) Characterization of photocrosslinked alginate hydrogels for nucleus pulposus cell encapsulation. *J Biomed Mater Res Part A* **91**: 187-194.

Christiani TR, Toomer K, Sheehan J, Nitzl A, Branda A, England E, Graney P, Iftode C, Vernengo AJ (2016) Synthesis of thermogelling Poly(N-isopropylacrylamide)-graft-chondroitin sulfate composites with alginate microparticles for tissue engineering. *J Vis Exp* **26**:53704.

Collin EC, Grad S, Zeugolis DI, Vinatier CS, Clouet JR, Guicheux JJ, Weiss P, Alini M, Pandit AS (2011) An injectable vehicle for nucleus pulposus cell-based therapy. *Biomaterials* **32**: 2862-2870.

Colombini A, Lopa S, Ceriani C, Lovati AB, Croiset SJ, Di Giancamillo A, Lombardi G, Banfi G, Moretti M (2015) In vitro characterization and in vivo behavior of human nucleus pulposus and annulus fibrosus cells in clinical-grade fibrin and collagen-enriched fibrin gels. *Tissue Eng Part A* **21**: 793-802.

Crevensten G, Walsh AJL, Ananthakrishnan D, Page P, Wahba GM, Lotz JC, Berven S (2004) Intervertebral disc cell therapy for regeneration: mesenchymal stem cell implantation in rat intervertebral discs. *Ann Biomed Eng* **32**: 430-434.

Cruz MA, Hom WW, DiStefano TJ, Merrill R, Torre OM, Lin HA, Hecht AC, Illien-Junger S, Iatridis JC (2018) Cell-seeded adhesive biomaterial for repair of annulus fibrosus defects in intervertebral discs. *Tissue Eng Part A* **24**: 187-198.

Dang JM, Sun DDN, Shin-Ya Y, Sieber AN, Kostuik JP, Leong KW (2006) Temperature-responsive hydroxybutyl chitosan for the culture of mesenchymal stem cells and intervertebral disk cells. *Biomaterials* **27**: 406-418.

Fontana G, Srivastava A, Thomas D, Lalor P, Dockery P, Pandit A (2015) Three-dimensional microgel platform for the production of cell factories tailored for the nucleus pulposus. *Bioconjugate Chem* **26**: 1297-1306.

Fontana G, Thomas D, Collin E, Pandit A (2014) Microgel microenvironment primes adipose-derived stem cells towards an NP cells-like phenotype. *Adv Healthcare Mater* **3**: 2012-2022.

Foss BL, Maxwell TW, Deng Y (2014) Chondroprotective supplementation promotes the mechanical properties of injectable scaffold for human nucleus pulposus tissue engineering. *J Mech Behavior of Biomed Mater* **29**: 56-67.

Francisco AT, Hwang PY, Jeong CG, Jing L, Chen J, Setton LA (2014) Photocrosslinkable laminin-functionalized polyethylene glycol hydrogel for intervertebral disc regeneration. *Acta Biomater* **10**: 1102-1111.

Francisco AT, Mancino RJ, Bowles RD, Brunger JM, Tainter DM, Chen Y-T, Richardson WJ, Guilak F, Setton LA (2013) Injectable laminin-functionalized hydrogel for nucleus pulposus regeneration. *Biomaterials* **34**: 7381-7388.

Frith JE, Cameron AR, Menzies DJ, Ghosh P, Whitehead DL, Gronthos S, Zannettino ACW, Cooper-White JJ (2013) An injectable hydrogel incorporating mesenchymal precursor cells and pentosan polysulphate for intervertebral disc regeneration. *Biomaterials* **34**: 9430-9440.

Frith JE, Menzies DJ, Cameron AR, Ghosh P, Whitehead DL, Gronthos S, Zannettino ACW, Cooper-White JJ (2014) Effects of bound versus soluble pentosan polysulphate in PEG/HA-based hydrogels tailored for intervertebral disc regeneration. *Biomaterials* **35**: 1150-1162.

Gan Y, Li P, Wang L, Mo X, Song L, Xu Y, Zhao C, Ouyang B, Tu B, Luo L, Zhu L, Dong S, Li F, Zhou Q (2017) An interpenetrating network-strengthened and toughened hydrogel that supports cell-based nucleus pulposus regeneration. *Biomaterials* **136**: 12-28.

Gan Y, Li S, Li P, Xu Y, Wang L, Zhao C, Ouyang B, Tu B, Zhang C, Luo L, Luo X, Mo X, Zhou Q (2016) A controlled release codelivery system of MSCs encapsulated in dextran/gelatin hydrogel with TGF- β 3 loaded nanoparticles for nucleus pulposus regeneration. *Stem Cells Intl* **2016**:9042019.

Gan Y, Tu B, Li P, Ye J, Zhao C, Luo L, Zhang C, Zhang Z, Zhu L, Zhou Q (2018) Low magnitude of compression enhances biosynthesis of mesenchymal stem cells towards nucleus pulposus cells via the TRPV4-Dependent pathway. *Stem Cells Intl* **2018**: 7061898.

Ganey T, Hutton WC, Moseley T, Hedrick M, Meisel H-J (2009) Intervertebral disc repair using adipose tissue-derived stem and regenerative cells: experiments in a canine model. *Spine (Phila Pa 1976)* **34**: 2297-2304.

Gansau J, Buckley CT (2018) Incorporation of collagen and hyaluronic acid to enhance the bioactivity of fibrin-based hydrogels for nucleus pulposus regeneration. *J Funct Biomater* **10**: 43.

Gansau J, Kelly L, Buckley CT (2018) Influence of key processing parameters and seeding density effects of microencapsulated chondrocytes fabricated using electrohydrodynamic spraying. *Biofabrication* **10**: 035011.

Ghorbani M, Ai J, Nourani MR, Azami M, Hashemi Beni B, Asadpour S, Bordbar S (2017) Injectable natural polymer compound for tissue engineering of intervertebral disc: In vitro study. *Mater Sci Eng C Mater Biol Appl* **80**: 502-508.

Goldschlager T, Ghosh P, Zannettino A, Gronthos S, Rosenfeld JV, Itescu S, Jenkin G (2010) Cervical motion preservation using mesenchymal progenitor cells and pentosan polysulfate, a novel chondrogenic agent: preliminary study in an ovine model. *Neurosurgical focus* **28**: E4.

Growney EA, Linder HR, Garg K, Bledsoe JG, Sell SA (2019) Bio-conjugation of platelet-rich plasma and alginate through carbodiimide chemistry for injectable hydrogel therapies. *J Biomed Mater Res B Appl Biomater* **108**:1972-1984.

Growney Kalaf EA, Flores R, Bledsoe JG, Sell SA (2016) Characterization of slow-gelling alginate hydrogels for intervertebral disc tissue-engineering applications. *Mater Sci Eng C Mater Biol Appl* **63**: 198-210.

Gruber HE, Hoelscher GL, Leslie K, Ingram JA, Hanley EN, Jr. (2006) Three-dimensional culture of human disc cells within agarose or a collagen sponge: assessment of proteoglycan production. *Biomaterials* **27**: 371-376.

Gruber HE, Ingram JA, Leslie K, Norton HJ, Hanley EN, Jr. (2003) Cell shape and gene expression in human intervertebral disc cells: in vitro tissue engineering studies. *Biotech Histochem* **78**: 109-117.

Gruber HE, Johnson TL, Leslie K, Ingram JA, Martin D, Hoelscher G, Banks D, Phieffer L, Coldham G, Hanley EN, Jr. (2002) Autologous intervertebral disc cell implantation: a model using *Psammomys obesus*, the sand rat. *Spine (Phila Pa 1976)* **27**: 1626-1633.

Gruber HE, Leslie K, Ingram J, Norton HJ, Hanley EN (2004) Cell-based tissue engineering for the intervertebral disc: in vitro studies of human disc cell gene expression and matrix production within selected cell carriers. *Spine J* **4**: 44-55.

Guillaume O, Naqvi SM, Lennon K, Buckley CT (2015) Enhancing cell migration in shape-memory alginate-collagen composite scaffolds: In vitro and ex vivo assessment for intervertebral disc repair. *J Biomater Appl* **29**: 1230-1246.

Gullbrand SE, Schaer TP, Agarwal P, Bendigo JR, Dodge GR, Chen W, Elliott DM, Mauck RL, Malhotra NR, Smith LJ (2017) Translation of an injectable triple-interpenetrating-network hydrogel for intervertebral disc regeneration in a goat model. *Acta Biomater* **60**: 201-209.

Gupta MS, Cooper ES, Nicoll SB (2011) Transforming growth factor-beta 3 stimulates cartilage matrix elaboration by human marrow-derived stromal cells encapsulated in photocrosslinked carboxymethylcellulose hydrogels: potential for nucleus pulposus replacement. *Tissue Eng Part A* **17**: 2903-2910.

Gupta MS, Nicoll SB (2014) Functional nucleus pulposus-like matrix assembly by human mesenchymal stromal cells is directed by macromer concentration in photocrosslinked carboxymethylcellulose hydrogels. *Cell Tissue Res* **358**: 527-539.

Gupta MS, Nicoll SB (2015) Duration of TGF-beta3 Exposure Impacts the Chondrogenic Maturation of Human MSCs in Photocrosslinked Carboxymethylcellulose Hydrogels. *AnnBiomedical Eng* **43**: 1145-1157.

Halloran DO, Grad S, Stoddart M, Dockery P, Alini M, Pandit AS (2008) An injectable cross-linked scaffold for nucleus pulposus regeneration. *Biomaterials* **29**: 438-447.

Hansson A, Wenger A, Henriksson HB, Li S, Johansson BR, Brisby H (2017) The direction of human mesenchymal stem cells into the chondrogenic lineage is influenced by the features of hydrogel carriers. *Tissue Cell* **49**: 35-44.

Hayami JWS, Waldman SD, Amsden BG (2011) A photocurable hydrogel/elastomer composite scaffold with bi-continuous morphology for cell encapsulation. *Macromol Biosci* **11**: 1672-1683.

Hayami JWS, Waldman SD, Amsden BG (2013) Injectable, high modulus, and fatigue resistant composite scaffold for load-bearing soft tissue regeneration. *Biomacromolecules* **14**: 4236-4247.

Hayami JWS, Waldman SD, Amsden BG (2016) Chondrocyte generation of cartilage-like tissue following photoencapsulation in methacrylated polysaccharide solution blends. *Macromol Biosci* **16**: 1083-1095.

Hegewald AA, Endres M, Abbushi A, Cabraja M, Woiciechowsky C, Schmieder K, Kaps C, Thome C (2011) Adequacy of herniated disc tissue as a cell source for nucleus pulposus regeneration: Laboratory investigation. *J Neurosurg Spine* **14**: 273-280.

Henriksson HB, Hagman M, Horn M, Lindahl A, Brisby H (2012) Investigation of different cell types and gel carriers for cell-based intervertebral disc therapy, in vitro and in vivo studies. *J Tissue Eng Regen Med* **6**: 738-747.

Henriksson HB, Svanvik T, Jonsson M, Hagman M, Horn M, Lindahl A, Brisby H (2009) Transplantation of human mesenchymal stem cells into intervertebral discs in a xenogeneic porcine model. *Spine (Phila Pa 1976)* **34**: 141-148.

Hingert D, Barreto Henriksson H, Brisby H (2018) Human mesenchymal stem cells pretreated with interleukin-1 β and stimulated with bone morphogenetic growth factor-3 enhance chondrogenesis. *Tissue Eng Part A* **24**: 775-785.

Hou Y, Shi G, Shi J, Xu G, Guo Y, Xu P (2016) Study design: in vitro and in vivo assessment of bone morphogenic protein 2 combined with platelet-rich plasma on treatment of disc degeneration. *Int Orthop* **40**: 1143-1155.

Hu A, Xing R, Jiang L, Li Z, Liu P, Wang H, Li X, Dong J (2020) Thermosensitive hydrogels loaded with human-induced pluripotent stem cells overexpressing growth differentiation factor-5 ameliorate intervertebral disc degeneration in rats. *J Biomed Mater Res B Appl Biomater*. **108(5)**: 2005-2016.

Hussain I, Sloan SR, Wipplinger C, Navarro-Ramirez R, Zubkov M, Kim E, Kirnaz S, Bonassar LJ, Hartl R (2019) Mesenchymal stem cell-seeded high-density collagen gel for annular repair: 6-week results from in vivo sheep models. *Neurosurgery* **85**: E350-E359.

Jalani G, Rosenzweig DH, Makhoul G, Abdalla S, Cecere R, Vetrone F, Haglund L, Cerruti M (2015) Tough, in-situ thermogelling, injectable hydrogels for biomedical applications. *Macromol Biosci* **15**: 473-480.

Khang G, Lee SK, Kim HN, Silva-Correia J, Gomes ME, Viegas CAA, Dias IR, Oliveira JM, Reis RL (2015) Biological evaluation of intervertebral disc cells in different formulations of gellan gum-based hydrogels. *J Tissue Eng Regen Med* **9**: 265-275.

Kim DH, Martin JT, Elliott DM, Smith LJ, Mauck RL (2015) Phenotypic stability, matrix elaboration and functional maturation of nucleus pulposus cells encapsulated in photocrosslinkable hyaluronic acid hydrogels. *Acta Biomater* **12**: 21-29.

Krouwels A, Melchels FPW, Van Rijen MHP, Öner FC, Dhert WJA, Tryfonidou MA, Creemers LB (2018a) Comparing hydrogels for human nucleus pulposus regeneration: role of osmolarity during expansion. *Tissue Eng Part C Methods* **24**: 222-232.

Krouwels A, Melchels FPW, van Rijen MHP, Ten Brink CBM, Dhert WJA, Cumhur Öner F, Tryfonidou MA, Creemers LB (2018b) Focal adhesion signaling affects regeneration by human nucleus pulposus cells in collagen- but not carbohydrate-based hydrogels. *Acta Biomater* **66**: 238-247.

Kumar D, Gerges I, Tamplenizza M, Lenardi C, Forsyth NR, Liu Y (2014) Three-dimensional hypoxic culture of human mesenchymal stem cells encapsulated in a photocurable, biodegradable polymer hydrogel: a potential injectable cellular product for nucleus pulposus regeneration. *Acta Biomater* **10**: 3463-3474.

Kumar D, Lyness A, Gerges I, Lenardi C, Forsyth NR, Liu Y (2016) Stem cell delivery with polymer hydrogel for treatment of intervertebral disc degeneration: from 3D culture to design of the delivery device for minimally invasive therapy. *Cell Transplant* **25**: 2213-2220.

Kumar H, Ha DH, Lee EJ, Park JH, Shim JH, Ahn TK, Kim KT, Ropper AE, Sohn S, Kim CH, Thakor DK, Lee SH, Han IB (2017) Safety and tolerability of intradiscal implantation of combined autologous adipose-derived mesenchymal stem cells and hyaluronic acid in patients with chronic discogenic low back pain: 1-year follow-up of a phase i study. *Stem Cell Res Ther* **8**: 262

Ladet SG, Tahiri K, Montembault AS, Domard AJ, Corvol MTM (2011) Multi-membrane chitosan hydrogels as chondrocytic cell bioreactors. *Biomaterials* **32**: 5354-5364.

Leckie SK, Sowa GA, Bechara BP, Hartman RA, Coelho JP, Witt WT, Dong QD, Bowman BW, Bell KM, Vo NV, Kramer BC, Kang JD (2013) Injection of human umbilical tissue-derived

cells into the nucleus pulposus alters the course of intervertebral disc degeneration in vivo. *Spine J* **13**: 263-272.

Li X, Shao H, Wu B, Yu Y, Du Y, Liu S, Sun J (2017) Repair of intervertebral disc degeneration using KLD-12/TGF-beta1 fiber gel combined with BMSCs in a rabbit model. *Int J Clin Exp Med* **10**: 7457-7467.

Li YY, Diao HJ, Chik TK, Chow CT, An XM, Leung V, Cheung KMC, Chan BP (2014a) Delivering mesenchymal stem cells in collagen microsphere carriers to rabbit degenerative disc: reduced risk of osteophyte formation. *Tissue Eng Part A* **20**: 1379-1391.

Li Z, Kaplan KM, Wertz A, Peroglio M, Amit B, Alini M, Grad S, Yayon A (2014b) Biomimetic fibrin-hyaluronan hydrogels for nucleus pulposus regeneration. *Regen Med* **9**: 309-326.

Liang C-z, Li H, Tao Y-q, Peng L-h, Gao J-q, Wu J-j, Li F-c, Hua J-m, Chen Q-x (2013) Dual release of dexamethasone and TGF-beta3 from polymeric microspheres for stem cell matrix accumulation in a rat disc degeneration model. *Acta Biomater* **9**: 9423-9433.

Liang C, Li H, Li C, Yang Z, Zhou X, Tao Y, Xiao Y, Li F, Chen Q (2012) Fabrication of a layered microstructured polymeric microspheres as a cell carrier for nucleus pulposus regeneration. *J Biomater Sci Polym Ed* **23**: 2287-2302.

Ligorio C, Zhou M, Wychowanec JK, Zhu X, Bartlam C, Miller AF, Vijayaraghavan A, Hoyland JA, Saiani A (2019) Graphene oxide containing self-assembling peptide hybrid hydrogels as a potential 3D injectable cell delivery platform for intervertebral disc repair applications. *Acta Biomater* **92**: 92-103.

Lin HA, Gupta MS, Varma DM, Gilchrist ML, Nicoll SB (2016) Lower crosslinking density enhances functional nucleus pulposus-like matrix elaboration by human mesenchymal stem cells in carboxymethylcellulose hydrogels. *J Biomed Mater Res Part A* **104**: 165-177.

Ma K, Wu Y, Wang B, Yang S, Wei Y, Shao Z (2013) Effect of a synthetic link N peptide nanofiber scaffold on the matrix deposition of aggrecan and type II collagen in rabbit notochordal cells. *J Mater Sci Mater Med* **24**: 405-415.

Malonzo C, Chan SCW, Kabiri A, Eglin D, Grad S, Bonel HM, Benneker LM, Gantenbein-Ritter B (2015) A papain-induced disc degeneration model for the assessment of thermo-reversible hydrogel-cells therapeutic approach. *J Tissue Eng and Regen Med* **9**: E167-176.

Manira M, Shamsul BS, Aminuddin BS, Ruzzymah BHI (2011) Cultivation of intervertebral disc cells in medium fortified with growth factors improved in vitro chondrogenesis. *Biomed Res* **22**: 435-441.

McKee C, Beeravolu N, Brown C, Perez-Cruet M, Chaudhry GR (2020) Mesenchymal stem cells transplanted with self-assembling scaffolds differentiated to regenerate nucleus pulposus in an ex vivo model of degenerative disc disease. *Appl Mater Today* **18**.

Mercuri J, Addington C, Pascal R, 3rd, Gill S, Simionescu D (2014) Development and initial characterization of a chemically stabilized elastin-glycosaminoglycan-collagen composite shape-memory hydrogel for nucleus pulposus regeneration. *J Biomed Mater Res Part A* **102**: 4380-4393.

Mercuri JJ, Patnaik S, Dion G, Gill SS, Liao J, Simionescu DT (2013) Regenerative potential of decellularized porcine nucleus pulposus hydrogel scaffolds: stem cell differentiation, matrix remodeling, and biocompatibility studies. *Tissue Eng Part A* **19**: 952-966.

Moriguchi Y, Borde B, Berlin C, Wipplinger C, Sloan SR, Kirnaz S, Pennicooke B, Navarro-Ramirez R, Khair T, Grunert P, Kim E, Bonassar L, Hartl R (2018) In vivo annular repair using high-density collagen gel seeded with annulus fibrosus cells. *Acta Biomater* **79**: 230-238.

Moss IL, Gordon L, Woodhouse KA, Whyne CM, Yee AJM (2011) A novel thiol-modified hyaluronan and elastin-like polypeptide composite material for tissue engineering of the nucleus pulposus of the intervertebral disc. *Spine (Phila Pa 1976)* **36**: 1022-1029.

Muller J, Benz K, Ahlers M, Gaissmaier C, Mollenhauer J (2011) Hypoxic conditions during expansion culture prime human mesenchymal stromal precursor cells for chondrogenic differentiation in three-dimensional cultures. *Cell Transplant* **20**: 1589-1602.

Mwale F, Iordanova M, Demers CN, Steffen T, Roughley P, Antoniou J (2005) Biological evaluation of chitosan salts cross-linked to genipin as a cell scaffold for disk tissue engineering. *Tissue Eng* **11**: 130-140.

Naderi-Meshkin H, Andreas K, Matin MM, Sittinger M, Bidkhorri HR, Ahmadiankia N, Bahrami AR, Ringe J (2014) Chitosan-based injectable hydrogel as a promising in situ forming scaffold for cartilage tissue engineering. *Cell Biol Int* **38**: 72-84.

Naqvi SM, Buckley CT (2015) Differential response of encapsulated nucleus pulposus and bone marrow stem cells in isolation and coculture in alginate and chitosan hydrogels. *Tissue Eng Part A* **21**: 288-299.

Naqvi SM, Gansau J, Buckley CT (2018) Priming and cryopreservation of microencapsulated marrow stromal cells as a strategy for intervertebral disc regeneration. *Biomed Mater* **13**: 034106.

Naqvi SM, Gansau J, Gibbons D, Buckley CT (2019) In vitro co-culture and ex vivo organ culture assessment of primed and cryopreserved stromal cell microcapsules for intervertebral disc regeneration. *Eur Cells Mater* **37**: 134-152.

Navaro Y, Bleich-Kimelman N, Hazanov L, Mironi-Harpaz I, Shachaf Y, Garty S, Smith Y, Pelled G, Gazit D, Seliktar D, Gazit Z (2015) Matrix stiffness determines the fate of nucleus pulposus-derived stem cells. *Biomaterials* **49**: 68-76.

Omlor GW, Bertram H, Kleinschmidt K, Fischer J, Brohm K, Guehring T, Anton M, Richter W (2010) Methods to monitor distribution and metabolic activity of mesenchymal stem cells following in vivo injection into nucleotomized porcine intervertebral discs. *Eur Spine J* **19**: 601-612.

Omlor GW, Fischer J, Kleinschmitt K, Benz K, Holschbach J, Brohm K, Anton M, Guehring T, Richter W (2014) Short-term follow-up of disc cell therapy in a porcine nucleotomy model with an albumin-hyaluronan hydrogel: in vivo and in vitro results of metabolic disc cell activity and implant distribution. *Eur Spine J* **23**: 1837-1847.

Omlor GW, Lorenz S, Nerlich AG, Guehring T, Richter W (2018) Disc cell therapy with bone-marrow-derived autologous mesenchymal stromal cells in a large porcine disc degeneration model. *Eur Spine J* **27**: 2639-2649.

Park S-H, Cho H, Gil ES, Mandal BB, Min B-H, Kaplan DL (2011) Silk-fibrin/hyaluronic acid composite gels for nucleus pulposus tissue regeneration. *Tissue Eng Part A* **17**: 2999-3009.

Pereira DR, Silva-Correia J, Caridade SG, Oliveira JT, Sousa RA, Salgado AJ, Oliveira JM, Mano JF, Sousa N, Reis RL (2011) Development of gellan gum-based microparticles/hydrogel

matrices for application in the intervertebral disc regeneration. *Tissue Eng Part C Methods* **17**: 961-972.

Pereira DR, Silva-Correia J, Oliveira JM, Reis RL, Pandit A, Biggs MJ (2018) Nanocellulose reinforced gellan-gum hydrogels as potential biological substitutes for annulus fibrosus tissue regeneration. *Nanomedicine* **14**: 897-908.

Peroglio M, Douma LS, Caprez TS, Janki M, Benneker LM, Alini M, Grad S (2017) Intervertebral disc response to stem cell treatment is conditioned by disc state and cell carrier: An ex vivo study. *Journal Orthop Translat* **9**: 43-51.

Peroglio M, Eglin D, Benneker LM, Alini M, Grad S (2013) Thermoreversible hyaluronan-based hydrogel supports in vitro and ex vivo disc-like differentiation of human mesenchymal stem cells. *Spine J* **13**: 1627-1639.

Peroglio M, Grad S, Mortisen D, Sprecher CM, Illien-Junger S, Alini M, Eglin D (2012) Injectable thermoreversible hyaluronan-based hydrogels for nucleus pulposus cell encapsulation. *Eur Spine J* **21 Suppl 6**: S839-849.

Piluso S, Labet M, Zhou C, Seo JW, Thielemans W, Patterson J (2019) Engineered three-dimensional microenvironments with starch nanocrystals as cell-instructive materials. *Biomacromolecules* **20**: 3819-3830.

Pratsinis H, Kletsas D (2015) Organotypic cultures of intervertebral disc cells: responses to growth factors and signaling pathways involved. *Biomed Res Int* **2015**: 427138.

Priyadarshani P, Li Y, Yang S, Yao L (2016) Injectable hydrogel provides growth-permissive environment for human nucleus pulposus cells. *J Biomed Mater Res Part A* **104**: 419-426.

Reitmaier S, Kreja L, Gruchenberg K, Kanter B, Silva-Correia J, Oliveira JM, Reis RL, Perugini V, Santin M, Ignatius A, Wilke H-J (2014) In vivo biofunctional evaluation of hydrogels for disc regeneration. *Eur Spine J* **23**: 19-26.

Revell PA, Damien E, Di Silvio L, Gurav N, Longinotti C, Ambrosio L (2007) Tissue engineered intervertebral disc repair in the pig using injectable polymers. *J Mater Sci Mater Med* **18**: 303-308.

Reza AT, Nicoll SB (2010a) Characterization of novel photocrosslinked carboxymethylcellulose hydrogels for encapsulation of nucleus pulposus cells. *Acta Biomater* **6**: 179-186.

Reza AT, Nicoll SB (2010b) Serum-free, chemically defined medium with TGF- β 3 enhances functional properties of nucleus pulposus cell-laden carboxymethylcellulose hydrogel constructs. *Biotechnol Bioeng* **105**: 384-395.

Richardson SM, Hughes N, Hunt JA, Freemont AJ, Hoyland JA (2008) Human mesenchymal stem cell differentiation to NP-like cells in chitosan-glycerophosphate hydrogels. *Biomaterials* **29**: 85-93.

Rosenzweig DH, Fairag R, Mathieu AP, Li L, Eglin D, D'Este M, Steffen T, Weber MH, Ouellet JA, Haglund L (2018) Thermoreversible hyaluronan-hydrogel and autologous nucleus pulposus cell delivery regenerates human intervertebral discs in an ex vivo, physiological organ culture model. *Eur Cell Mater* **36**: 200-217.

Rosenzweig DH, Gawri R, Moir J, Beckman L, Eglin D, Steffen T, Roughley PJ, Ouellet JA, Haglund L (2016) Dynamic loading, matrix maintenance and cell injection therapy of human intervertebral discs cultured in a bioreactor. *Eur Cell Mater* **31**: 26-39.

Roughley P, Hoemann C, DesRosiers E, Mwale F, Antoniou J, Alini M (2006) The potential of chitosan-based gels containing intervertebral disc cells for nucleus pulposus supplementation. *Biomaterials* **27**: 388-396.

Sakai D, Mochida J, Iwashina T, Hiyama A, Omi H, Imai M, Nakai T, Ando K, Hotta T (2006a) Regenerative effects of transplanting mesenchymal stem cells embedded in atelocollagen to the degenerated intervertebral disc. *Biomaterials* **27**: 335-345.

Sakai D, Mochida J, Iwashina T, Watanabe T, Suyama K, Ando K, Hotta T (2006b) Atelocollagen for culture of human nucleus pulposus cells forming nucleus pulposus-like tissue in vitro: influence on the proliferation and proteoglycan production of HNPSV-1 cells. *Biomaterials* **27**: 346-353.

Sakai D, Mochida J, Yamamoto Y, Nomura T, Okuma M, Nishimura K, Nakai T, Ando K, Hotta T (2003) Transplantation of mesenchymal stem cells embedded in Atelocollagen gel to the intervertebral disc: a potential therapeutic model for disc degeneration. *Biomaterials* **24**: 3531-3541.

Saldanha KJ, Piper SL, Ainslie KM, Kim HT, Majumdar S (2008) Magnetic resonance imaging of iron oxide labelled stem cells: applications to tissue engineering based regeneration of the intervertebral disc. *Eur Cells Mater* **16**: 17-25.

Salzig D, Schmiermund A, Gebauer E, Fuchsbauer H-L, Czermak P (2011) Influence of porcine intervertebral disc matrix on stem cell differentiation. *J Funct Biomater* **2**: 155-172.

Scholz B, Kinzelmann C, Benz K, Mollenhauer J, Wurst H, Schloschauer B (2010) Suppression of adverse angiogenesis in an albumin-based hydrogel for articular cartilage and intervertebral disc regeneration. *Eur Cell Mater* **20**: 24-27.

Sheyn D, Ben-David S, Tawackoli W, Zhou Z, Salehi K, Bez M, De Mel S, Chan V, Roth J, Avalos P, Giaconi JC, Yameen H, Hazanov L, Seliktar D, Li D, Gazit D, Gazit Z (2019) Human iPSCs can be differentiated into notochordal cells that reduce intervertebral disc degeneration in a porcine model. *Theranostics* **9**: 7506-7524.

Silva-Correia J, Gloria A, Oliveira MB, Mano JF, Oliveira JM, Ambrosio L, Reis RL (2013a) Rheological and mechanical properties of acellular and cell-laden methacrylated gellan gum hydrogels. *J Biomed Mater Res Part A* **101**: 3438-3446.

Silva-Correia J, Zavan B, Vindigni V, Silva TH, Oliveira JM, Abatangelo G, Reis RL (2013b) Biocompatibility evaluation of ionic- and photo-crosslinked methacrylated gellan gum hydrogels: in vitro and in vivo study. *Adv Healthc Mater* **2**: 568-575.

Smith LJ, Gorth DJ, Showalter BL, Chiaro JA, Beattie EE, Elliott DM, Mauck RL, Chen W, Malhotra NR (2014) In vitro characterization of a stem-cell-seeded triple-interpenetrating-network hydrogel for functional regeneration of the nucleus pulposus. *Tissue Eng Part A* **20**: 1841-1849.

Song JE, Kim EY, Ahn WY, Lee YJ, Lee D, Reis R, Khang G (2015) The potential of DBP gels containing intervertebral disc cells for annulus fibrosus supplementation: in vivo. *J Tissue Eng Regen Med* **9**: E98-107.

Stern S, Lindenhayn K, Schultz O, Perka C (2000) Cultivation of porcine cells from the nucleus pulposus in a fibrin/hyaluronic acid matrix. *Acta Orthop Scand* **71**: 496-502.

Subhan RA, Puvanan K, Murali MR, Balaji Raghavendran HR, Shani S, Abdullah BJJ, Amir Abbas A, Mohamed JA, Kamarul T (2014) Fluoroscopy assisted minimally invasive transplantation of allogenic mesenchymal stromal cells embedded in hystem reduces the progression of nucleus pulposus degeneration in the damaged interverbal disc: a preliminary study in rabbits. *ScientificWorldJournal* **2014**: 818502.

Sun J, Zheng Q (2009) Experimental study on self-assembly of KLD-12 peptide hydrogel and 3-D culture of MSC encapsulated within hydrogel in vitro. *J Huazhong Univ Sci Technology Med Sci* **29**: 512-516.

Sun J, Zheng Q, Wu Y, Liu Y, Guo X, Wu W (2010a) Biocompatibility of KLD-12 peptide hydrogel as a scaffold in tissue engineering of intervertebral discs in rabbits. *J Huazhong Univ Sci Technology Med Sci* **30**: 173-177.

Sun J, Zheng Q, Wu Y, Liu Y, Guo X, Wu W (2010b) Culture of nucleus pulposus cells from intervertebral disc on self-assembling KLD-12 peptide hydrogel scaffold. *Mater Sci Eng C* **30**: 975-980.

Sun W, Zhang K, Liu G, Ding W, Zhao C, Xie Y, Yuan J, Sun X, Li H, Liu C, Tang T, Zhao J (2014) Sox9 gene transfer enhanced regenerative effect of bone marrow mesenchymal stem cells on the degenerated intervertebral disc in a rabbit model. *PloS one* **9**: e93570.

Sun Z, Luo B, Liu Z, Huang L, Liu B, Ma T, Gao B, Liu Z-H, Chen Y-F, Huang J-H, Luo Z (2016) Effect of perfluorotributylamine-enriched alginate on nucleus pulposus cell: Implications for intervertebral disc regeneration. *Biomaterials* **82**: 34-47.

Tao H, Wu Y, Li H, Wang C, Zhang Y, Li C, Wen T, Wang X, He Q, Wang D, Ruan D (2015) BMP7-based functionalized self-assembling peptides for nucleus pulposus tissue engineering. *ACS Appl Mater Interfaces* **7**: 17076-17087.

Tao H, Zhang Y, Wang CF, Zhang C, Wang XM, Wang DL, Bai XD, Wen TY, Xin HK, Wu JH, Liu Y, He Q, Ruan D (2014) Biological evaluation of human degenerated nucleus pulposus cells in functionalized self-assembling peptide nanofiber hydrogel scaffold. *Tissue Eng Part A* **20**: 1621-1631.

Tao Y, Zhou X, Liu D, Li H, Liang C, Li F, Chen Q (2016) Proportion of collagen type II in the extracellular matrix promotes the differentiation of human adipose-derived mesenchymal stem cells into nucleus pulposus cells. *Biofactors* **42**: 212-223.

Teixeira GQ, Boldt A, Nagl I, Pereira CL, Benz K, Wilke H-J, Ignatius A, Barbosa MA, Goncalves RM, Neidlinger-Wilke C (2016) A degenerative/proinflammatory intervertebral disc organ culture: an ex vivo model for anti-inflammatory drug and cell therapy. *Tissue Eng Part C Methods* **22**: 8-19.

Thorpe AA, Dougill G, Vickers L, Reeves ND, Sammon C, Cooper G, Le Maitre CL (2017) Thermally triggered hydrogel injection into bovine intervertebral disc tissue explants induces differentiation of mesenchymal stem cells and restores mechanical function. *Acta Biomater* **54**: 212-226.

Toh WS, Lim TC, Kurisawa M, Spector M (2012) Modulation of mesenchymal stem cell chondrogenesis in a tunable hyaluronic acid hydrogel microenvironment. *Biomaterials* **33**: 3835-3845.

Tsaryk R, Gloria A, Russo T, Anspach L, De Santis R, Ghanaati S, Unger RE, Ambrosio L, Kirkpatrick CJ (2015) Collagen-low molecular weight hyaluronic acid semi-interpenetrating network loaded with gelatin microspheres for cell and growth factor delivery for nucleus pulposus regeneration. *Acta Biomater* **20**: 10-21.

Tsaryk R, Silva-Correia J, Oliveira JM, Unger RE, Landes C, Brochhausen C, Ghanaati S, Reis RL, Kirkpatrick CJ (2017) Biological performance of cell-encapsulated methacrylated gellan gum-based hydrogels for nucleus pulposus regeneration. *J Tissue Eng Regen Med* **11**: 637-648.

Tseng H, Cuchiara ML, Durst CA, Cuchiara MP, Lin CJ, West JL, Grande-Allen KJ (2013) Fabrication and mechanical evaluation of anatomically-inspired quasilaminate hydrogel structures with layer-specific formulations. *Ann Biomed Eng* **41**: 398-407.

Ukeba D, Sudo H, Tsujimoto T, Ura K, Yamada K, Iwasaki N (2020) Bone marrow mesenchymal stem cells combined with ultra-purified alginate gel as a regenerative therapeutic strategy after discectomy for degenerated intervertebral discs. *EBioMedicine* **53**: 102698.

Vadala G, Russo F, Musumeci M, D'Este M, Cattani C, Catanzaro G, Tirindelli MC, Lazzari L, Alini M, Giordano R, Denaro V (2017) Clinically relevant hydrogel-based on hyaluronic acid and platelet rich plasma as a carrier for mesenchymal stem cells: rheological and biological characterization. *Journal Orthop Res* **35**: 2109-2116.

Varma DM, DiNicolas MS, Nicoll SB (2018) Injectable, redox-polymerized carboxymethylcellulose hydrogels promote nucleus pulposus-like extracellular matrix elaboration by human MSCs in a cell density-dependent manner. *J Biomater Appl* **33**: 576-589.

Vaudreuil N, Henrikson K, Pohl P, Lee A, Lin H, Olsen A, Dong Q, Dombrowski M, Kang J, Vo N, Lee J, Sowa G (2019) Photopolymerizable biogel scaffold seeded with mesenchymal stem cells: safety and efficacy evaluation of novel treatment for intervertebral disc degeneration. *J Orthop Res* **37**: 1451-1459.

Vickers L, Thorpe AA, Snuggs J, Sammon C, Le Maitre CL (2019) Mesenchymal stem cell therapies for intervertebral disc degeneration: consideration of the degenerate niche. *JOR Spine* **2**: e1055.

Wan S, Borland S, Richardson SM, Merry CLR, Saiani A, Gough JE (2016) Self-assembling peptide hydrogel for intervertebral disc tissue engineering. *Acta Biomater* **46**: 29-40.

Wang B, Sun C, Shao Z, Yang S, Che B, Wu Q, Liu J (2014a) Designer self-assembling peptide nanofiber scaffolds containing link protein N-terminal peptide induce chondrogenesis of rabbit bone marrow stem cells. *BioMed Res Int* **2014**: 421954

Wang B, Wu Y, Shao Z, Yang S, Che B, Sun C, Ma Z, Zhang Y (2012) Functionalized self-assembling peptide nanofiber hydrogel as a scaffold for rabbit nucleus pulposus cells. *J Biomed Mater Res Part A* **100**: 646-653.

Wang F, Nan LP, Zhou SF, Liu Y, Wang ZY, Wang JC, Feng XM, Zhang L (2019) Injectable hydrogel combined with nucleus pulposus-derived mesenchymal stem cells for the treatment of degenerative intervertebral disc in rats. *Stem Cells Int* **2019**: 8496025.

Wang H, Zhou Y, Huang B, Liu LT, Liu MH, Wang J, Li CQ, Zhang ZF, Chu TW, Xiong CJ (2014b) Utilization of stem cells in alginate for nucleus pulposus tissue engineering. *Tissue Eng Part A* **20**: 908-920.

Wiltsey C, Christiani T, Williams J, Scaramazza J, Van Sciver C, Toomer K, Sheehan J, Branda A, Nitzl A, England E, Kadlowec J, Iftode C, Vernengo J (2015) Thermogelling bioadhesive

scaffolds for intervertebral disk tissue engineering: preliminary in vitro comparison of aldehyde-based versus alginate microparticle-mediated adhesion. *Acta Biomater* **16**: 71-80.

Wu Y, Jia Z, Liu L, Zhao Y, Li H, Wang C, Tao H, Tang Y, He Q, Ruan D (2016) Functional self-assembled peptide nanofibers for bone marrow mesenchymal stem cell encapsulation and regeneration in nucleus pulposus. *Artif Organs* **40**: E112-119.

Xia K, Zhu J, Hua J, Gong Z, Yu C, Zhou X, Wang J, Huang X, Yu W, Li L, Gao J, Chen Q, Li F, Liang C (2019) Intradiscal injection of induced pluripotent stem cell-derived nucleus pulposus-like cell-seeded polymeric microspheres promotes rat disc regeneration. *Stem Cells Int* **2019**: 6806540.

Xu J, Wang W, Ludeman M, Cheng K, Hayami T, Lotz JC, Kapila S (2008) Chondrogenic differentiation of human mesenchymal stem cells in three-dimensional alginate gels. *Tissue Eng Part A* **14**: 667-680.

Yang H, Wu J, Liu J, Ebraheim M, Castillo S, Liu X, Tang T, Ebraheim NA (2010) Transplanted mesenchymal stem cells with pure fibrinous gelatin-transforming growth factor-beta1 decrease rabbit intervertebral disc degeneration. *Spine J* **10**: 802-810.

Yang SH, Wu CC, Shih TTF, Chen PQ, Lin FH (2008) Three-dimensional culture of human nucleus pulposus cells in fibrin clot: comparisons on cellular proliferation and matrix synthesis with cells in alginate. *Artif Organs* **32**: 70-73.

Yao L, Flynn N (2018) Dental pulp stem cell-derived chondrogenic cells demonstrate differential cell motility in type I and type II collagen hydrogels. *Spine J* **18**: 1070-1080.

Ying J, Han Z, Zeng Y, Du Y, Pei S, Su L, Ruan D, Chen C (2019) Evaluation of intervertebral disc regeneration with injection of mesenchymal stem cells encapsulated in PEGDA-microcryogel delivery system using quantitative T2 mapping: a study in canines. *Am J Transl Res* **11**: 2028-2041.

Yoshikawa T, Ueda Y, Miyazaki K, Koizumi M, Takakura Y (2010) Disc regeneration therapy using marrow mesenchymal cell transplantation: A report of two case studies. *Spine (Phila Pa 1976)* **35**: E475-E480.

Youngstrom DW, Cakstina I, Jakobsons E (2016) Cartilage-derived extracellular matrix extract promotes chondrocytic phenotype in three-dimensional tissue culture. *Artif Cells Nanomed Biotechnol* **44**: 1040-1047.

Yuan M, Pai PJ, Liu X, Lam H, Chan BP (2018) Proteomic analysis of nucleus pulposus cell-derived extracellular matrix niche and its effect on phenotypic alteration of dermal fibroblasts. *Sci Rep* **8**: 1512

Yuan M, Yeung CW, Li YY, Diao H, Cheung KMC, Chan D, Cheah K, Chan PB (2013) Effects of nucleus pulposus cell-derived acellular matrix on the differentiation of mesenchymal stem cells. *Biomaterials* **34**: 3948-3961.

Zeiter S, Van Der Werf M, Ito K (2009) The fate of bovine bone marrow stromal cells in hydrogels: A comparison to nucleus pulposus cells and articular chondrocytes. *J Tissue Eng Regen Med* **3**: 310-320.

Zeng Y, Chen C, Liu W, Fu Q, Han Z, Li Y, Feng S, Li X, Qi C, Wu J, Wang D, Corbett C, Chan BP, Ruan D, Du Y (2015) Injectable microcryogels reinforced alginate encapsulation of mesenchymal stromal cells for leak-proof delivery and alleviation of canine disc degeneration. *Biomaterials* **59**: 53-65.

Zhang Y, Drapeau S, Howard SA, Thonar EJMA, Anderson DG (2011) Transplantation of goat bone marrow stromal cells to the degenerating intervertebral disc in a goat disc injury model. *Spine (Phila Pa 1976)* **36**: 372-377.

Zhang Z-Q, Wang C-S, Yang P, Wang K-Z (2018) Mesenchymal stem cells induced by microencapsulated chondrocytes on repairing of intervertebral disc degeneration. *Orthop Surg* **10**: 328-336.

Zhang Z, Li F, Tian H, Guan K, Zhao G, Shan J, Ren D (2014) Differentiation of adipose-derived stem cells toward nucleus pulposus-like cells induced by hypoxia and a three-dimensional chitosan-alginate gel scaffold in vitro. *Chin Med J (Engl)* **127**: 314-321.

Zhou X, Tao Y, Chen E, Wang J, Fang W, Zhao T, Liang C, Li F, Chen Q (2018a) Genipin-cross-linked type II collagen scaffold promotes the differentiation of adipose-derived stem cells into nucleus pulposus-like cells. *J Biomed Mater Res Part A* **106**: 1258-1268.

Zhou X, Tao Y, Wang J, Liu D, Liang C, Li H, Chen Q (2016) Three-dimensional scaffold of type II collagen promote the differentiation of adipose-derived stem cells into a nucleus pulposus-like phenotype. *J Biomed Mater Res Part A* **104**: 1687-1693.

Zhou X, Wang J, Fang W, Tao Y, Zhao T, Xia K, Liang C, Hua J, Li F, Chen Q (2018b) Genipin cross-linked type II collagen/chondroitin sulfate composite hydrogel-like cell delivery system induces differentiation of adipose-derived stem cells and regenerates degenerated nucleus pulposus. *Acta Biomater* **71**: 496-509.

Zhou X, Wang J, Huang X, Fang W, Tao Y, Zhao T, Liang C, Hua J, Chen Q, Li F (2018c) Injectable decellularized nucleus pulposus-based cell delivery system for differentiation of adipose-derived stem cells and nucleus pulposus regeneration. *Acta Biomater* **81**: 115-128.

Zhu Y, Tan J, Zhu H, Lin G, Yin F, Wang L, Song K, Wang Y, Zhou G, Yi W (2017) Development of kartogenin-conjugated chitosan-hyaluronic acid hydrogel for nucleus pulposus regeneration. *Biomater Sci* **5**: 784-791.